

Model CDU


EBARA Stainless Steel Centrifugal Pumps

Performance Curves

CDU70/1-3/4 HP

Synchronous Speed: 3450 RPM


Size: 1 x 1 1/4 x 4 1/2



CDU70/3-1 1/2 HP

Synchronous Speed: 3450 RPM

Size: 1 x 1 1/4 x 5 3/16



Model CDU


EBARA Stainless Steel Centrifugal Pumps

Performance Curves

**CDU70/5-2HP**

**Synchronous Speed: 3450 RPM**


**Size: 1 x 1<sup>1</sup>/<sub>4</sub> x 6<sup>3</sup>/<sub>16</sub>**



**CDU120/1-1HP**

**Synchronous Speed: 3450 RPM**

**Size: 1 x 1<sup>1</sup>/<sub>4</sub> x 4<sup>1</sup>/<sub>2</sub>**



## Model CDU


## EBARA Stainless Steel Centrifugal Pumps

### Performance Curves

**CDU120/3-1½ HP**

**Synchronous Speed: 3450 RPM**


**Size: 1 x 1¼ x 5³/₁₆**



**CDU120/5-3HP**

**Synchronous Speed: 3450 RPM**

**Size: 1 x 1¼ x 6³/₁₆**



## Model CDU


## EBARA Stainless Steel Centrifugal Pumps

### Performance Curves

**CDU200/1-1½ HP**

**Synchronous Speed: 3450 RPM**


**Size: 1 x 1½ x 4½**



**CDU200/3-3HP**

**Synchronous Speed: 3450 RPM**

**Size: 1 x 1½ x 5³/₁₆**




Model CDU  
Performance Curves


EBARA Stainless Steel Centrifugal Pumps

CDU200/5-3HP

Synchronous Speed: 3450 RPM

Size: 1 x 1 1/2 x 5 11/16






**CDU4 120/5-1/3 HP**

**Synchronous Speed: 1725 RPM**


**Size: 1 x 1 1/4 x 6 3/16**



**CDU4 200/5-1/2 HP**


**Synchronous Speed: 1725 RPM**

**Size: 1 x 1 1/2 x 5 11/16**






Selection Chart



### Performance Curves

**CDX 70/076 (0.55 kW) - Impeller diameter = 115 mm**  
**CDX 70/106 (0.75 kW) - Impeller diameter = 132 mm**  
**CDX 70/156 (1.1 kW) - Impeller diameter = 157 mm**




Rotation speed  $\approx 3450 \text{ min}^{-1}$   
 Test standard: ISO 9906 – Annex A

### Performance Curves

**CDX 120/106 (0.75 kW) - Impeller diameter = 115 mm**


**CDX 120/156 (1.1 kW) - Impeller diameter = 132 mm**

**CDX 120/206 (1.5 kW) - Impeller diameter = 157 mm**



Rotation speed  $\approx 3450 \text{ min}^{-1}$   
 Test standard: ISO 9906 – Annex A

**CDX 200/156 (1.1 kW) - Impeller diameter = 115 mm**  
**CDX 200/206 (1.5 kW) - Impeller diameter = 132 mm**  
**CDX 200/306 (2.2 kW) - Impeller diameter = 144 mm**



Rotation speed  $\approx 3450 \text{ min}^{-1}$   
 Test standard: ISO 9906 – Annex A